

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	49	((("6471223") or ("4500210") or ("5946860") or ("4819311") or ("4941216") or ("5489182") or ("6155403") or ("4546857") or ("5336025") or ("5464072") or ("5833031") or ("6190294") or ("6246024") or ("6374937") or ("6776263") or ("5725205") or ("6000758") or ("4437631") or ("4928811") or ("5188850") or ("5192557") or ("5277568") or ("5320517") or ("5538238") or ("6227993") or ("4287967") or ("4568053") or ("5000292") or ("5002235") or ("5195629") or ("5492443") or ("5537782") or ("5865538") or ("5967265") or ("6119816") or ("6155382") or ("6315059") or ("6422536") or ("6438087") or ("5997740") or ("6136207") or ("4446813") or ("5374094") or ("5979115") or ("4365344") or ("4585611") or ("5425615") or ("5435715") or ("5645388") or ("6379107").pn.))). PN.	USPAT	OR	OFF	2006/03/08 17:59
S1	823	(187/250,254,258,361).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/08 13:21
S2	823	(187/250,254,258,361).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/08 13:21
S3	123	S2 and (motor or driv\$3 or power\$3) near8 (rail or track or path or (support near1 (lateral\$2 or vertical\$2 or elongat\$2)) and (mount\$3 or plac\$3 or dispos\$2 or seat\$3 or position\$2 or affix\$3 or fix\$3 or bolt\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/08 14:37
S4	9	("1125133"   "4664230"   "5845745"   "5899300"   "5899301"   "5944144"   "6006865"   "6035974").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/08 13:39

## EAST Search History

S5	2339	(248/125.1,125.2,188.4,207,678,117.2,678).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/08 14:33
S6	0	("L4and@pd<20020801").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/08 14:33
S7	2155	S5 and @pd<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/08 15:12
S8	363	S7 and (adjust\$4 or setting or set) near4 (screw or bolt or element)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/08 15:12
S9	55	S8 and thread\$2 and (hexagonal or hex\$4 or allen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/08 14:39
S10	118	S8 and (rail or track or path or (support near1 (lateral\$2 or vertical\$2 or elongat\$2)) and (mount\$3 or plac\$3 or dispos\$2 or seat\$3 or position\$2 or affix\$3 or fix\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/08 14:39
S11	163	S8 and (guide or rail or track or path or (support near1 (lateral\$2 or vertical\$2 or elongat\$2)) and (mount\$3 or plac\$3 or dispos\$2 or seat\$3 or position\$2 or affix\$3 or fix\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/08 14:46
S12	26	S11 and thread\$2 and (hexagonal or hex\$4 or allen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/08 14:39
S13	137	S11 not (S9 or S12)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/08 14:46

## EAST Search History

S14	171	S8 not (S9 or S10 or S11 or S12 or S13)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/08 15:07
S15	200	S7 and (adjust\$4 or setting or set) near8 ((screw or bolt or element) and (engag\$3 or against or top or upper or plate or surface or cross or bear\$3) and (rail or guide or column or support or beam))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/08 15:12
S16	26	S15 not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/08 15:10